




Paslode®

PSN50NP





PSN50NP

		A = 254 mm B = 277 mm C = 112 mm	
		= 1,88 kg	
		L_{WA.1s} = 100,9 dBA L_{pA.1s} = dBA L_{pA.1s1m} = 87,9 dBA	
3,31l (7 bar)/		EN 12549+EN ISO 4871	
Ps max. = 8 bar		Vibration = 4,5 m/s²	
20 x		Diameter d = 4,3-4,6 mm Length L = 40-50 mm Angle A = 34°	
Paslode 34° Strip Nails			




Model: PSN50NP

No. 505688



Diameter $d = 4.3 - 4.6 \text{ mm}$
Length $L = 40 \text{ and } 50 \text{ mm}$
Angle $A = 34^\circ$



No. 014748 + No. 505928


No. 014121

Accessories










No. 151299 / No. 576216

0,5 l oil / 1 l oil









014 748





014 748







YY/WW....

YY= Year of manufacture
WW = Week of manufacture

**Resting position/ Ruheposition/ Position de repos/ Ruststand/
Posición de descanso/ Posizione di riposo/ Posição de des-
canso/ Pozycja spoczynku/ Klidová poloha/ Nyugalmi állapot/
Положение в нерабочем состоянии/ Θέση αδράνειας/ Hviles-
tilling/ Viloläge/ Hvileposisjon/ Lepoasento/ Položaj mirovanja/
Pokoiová poloha/ Položaj mirovanja/ وضع السكون / Ramybės
padėtis/ Ooteasend/ Miera stāvoklis/ Hvíldarstaða**



NOTES :





ITW CONSTRUCTION PRODUCTS EUROPE
Code 505928 (05/2019)
www.spitpaslode.com