

# Safety Data Sheet

## BOSTIK ACRYL QUICK

Replaces date: 09/05/2017

Revision date: 21/11/2019

### SECTION 1: Identification of the substance/preparation and of the company/undertaking

#### 1.1. Product identifier

**Trade name:** BOSTIK ACRYL QUICK

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended uses:** Water-based sealants.

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

**Company:** Bostik AB

**Address:** Strandbadsvägen 22

**Zip code:** 251 09

**City:** Helsingborg

**Country:** SWEDEN

**E-mail:** info.se@bostik.com

**Phone:** +46 42 19 50 00

**Homepage:** www.bostik.com

**Contact person:** Name: Environment dep., Phone: +46 42 19 50 00

#### 1.4. Emergency Telephone Number

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**CLP-classification:** The product shall not be classified as hazardous according to the classification and labeling rules for substance and mixtures.

**CLP Classification - other information:** Classification according to Regulation (EC) No 1272/2008 CLP / GHS: not classified.

**Most serious harmful effects:** Further information on potential health effects and symptoms of Section 11.

#### 2.2. Label elements

##### P-phrases

P102 Keep out of reach of children.

##### Supplemental information

EUH208 Contains a mixture of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May cause an allergic reaction.

EUH210 Safety data sheet available on request.

#### 2.3. Other hazards

The substance / mixture contains no components considered be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in levels of 0.1% or higher.

Contains preservatives, prevents microorganisms when stored: Active ingredient: 5-Chloro-2-methyl-2H-isothiazol-3-one [EC No. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No. 220-239-6] (3:1), 55965-84-9.

# Safety Data Sheet

## BOSTIK ACRYL QUICK

Replaces date: 09/05/2017

Revision date: 21/11/2019

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

**Ingredient comments:** This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**Inhalation:** Move to fresh air.

**Ingestion:** Do not induce vomiting. Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Never give anything by mouth to an unconscious person. If symptoms persist consult doctor.

**Skin contact:** Wash skin with soap and water. Do not use solvents. Remove contaminated clothing.

**Eye contact:** Remove any contact lenses and rinse with water for at least 15 minutes (keep the eyelids open). Get medical attention if any discomfort continues.

**General:** When obtaining medical advice, show the safety data sheet or label.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

### SECTION 5: Fire-fighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media:** Use extinguishing media appropriate for surrounding fire.

**Unsuitable extinguishing media:** Do not use a direct water jet.

#### 5.2. Special hazards arising from the substance or mixture

Formation of hazardous vapours may take place at decomposition temperatures.

#### 5.3. Advice for fire-fighters

Do not allow extinguishing water or spillage to run out into the sewage system. Breathing apparatus should be used in fire fighting.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel:** Wear necessary protective equipment. NB! Risk of slipping due to spillage. Avoid direct contact.

#### 6.2. Environmental precautions

Prevent discharges into the sewage system, watercourses or ground.

#### 6.3. Methods and material for containment and cleaning up

Wipe up minor spills with a cloth. Soak up with sawdust, sand or other inert absorption material and collect into enclosed containers.

# Safety Data Sheet

## BOSTIK ACRYL QUICK

Replaces date: 09/05/2017

Revision date: 21/11/2019

### 6.4. Reference to other sections

See Section 8 for personal protective equipment and section 13 for waste disposal.

**Other Information:** In the event of major emissions, contact the relevant authorities.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

See Section 8 for personal protective equipment. NB! Risk of slipping due to spillage. Good working hygiene must always be observed when handling product. Wash at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke during work.

### 7.2. Conditions for safe storage, including any incompatibilities

Store safely and keep out of reach of children. Store frost-free. Keep containers tightly closed. Store in a cool, dry place. Recommended storage temperature 10°C - 20°C

### 7.3. Specific end use(s)

See Product Data Sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

**Occupational exposure limit:** Contains no substances subject to reporting requirements

### 8.2. Exposure controls

**Appropriate engineering controls:** Workplace and work methods are designed to prevent direct contact.

**Personal protective equipment, eye/face protection:** Eye protection is recommended when there is a risk of direct contact or splashes Eye protection must conform to EN 166.

**Personal protective equipment, skin protection:** Wear appropriate clothing to prevent any possibility of skin contact.

**Personal protective equipment, hand protection:** Protective gloves must be used if there is a risk of direct contact or splash. Gloves must conform to EN 374. Protective gloves (butyl rubber, nitrile rubber). Breakthrough time:> 480 min  
The suitability and durability of a glove is dependant on usage, e.g. frequency and duration of contact, glove material thickness, functionality and chemical resistance. Always seek advice from the glove supplier.

**Personal protective equipment, respiratory protection:** No special measures required.

**Environmental exposure controls:** Prevent discharges into the sewage system, watercourses or ground.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Parameter	Value/unit
State	Paste
Colour	White.
Odour	Odourless or no characteristic odour.
Solubility	No data
Explosive properties	No data
Oxidising properties	No data

# Safety Data Sheet

## BOSTIK ACRYL QUICK

Replaces date: 09/05/2017

Revision date: 21/11/2019

Parameter	Value/unit	Remarks
pH (solution for use)	No data	
pH (concentrate)	No data	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	100 °C	
Flash Point	No data	
Evaporation rate	No data	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Vapour pressure	No data	
Vapour density	No data	
Relative density	No data	
Partition coefficient n-octanol/water	No data	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
Viscosity	No data	
Odour threshold	No data	

### 9.2 Other information

Parameter	Value/unit	Remarks
Density	1.56 g/cm3	
Kinematic viscosity	>22 mm2/s	

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No known significant effects or critical hazards.

### 10.2. Chemical stability

Stable under recommended storage and handling conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known.

### 10.4. Conditions to avoid

Protected against freezing.

### 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

None, if stored at the recommended storage conditions.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Acute toxicity - oral:** No information available

# Safety Data Sheet

## BOSTIK ACRYL QUICK

Replaces date: 09/05/2017

Revision date: 21/11/2019

<b>Acute toxicity - dermal:</b>	No information available
<b>Acute toxicity - inhalation:</b>	No information available
<b>Skin corrosion/irritation:</b>	Based on existing data, the classification criteria are deemed not to have been met.
<b>Serious eye damage/eye irritation:</b>	Based on existing data, the classification criteria are deemed not to have been met.
<b>Respiratory sensitisation or skin sensitisation:</b>	Based on existing data, the classification criteria are deemed not to have been met.
<b>Germ cell mutagenicity:</b>	Based on existing data, the classification criteria are deemed not to have been met.
<b>Carcinogenic properties:</b>	Based on existing data, the classification criteria are deemed not to have been met.
<b>Reproductive toxicity:</b>	Based on existing data, the classification criteria are deemed not to have been met.
<b>Single STOT exposure:</b>	Based on existing data, the classification criteria are deemed not to have been met.
<b>Repeated STOT exposure:</b>	Based on existing data, the classification criteria are deemed not to have been met.
<b>Aspiration hazard:</b>	Based on existing data, the classification criteria are deemed not to have been met.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecotoxicological information for the product is not available.

### 12.2. Persistence and degradability

Discharges of smaller quantities to adapted biological cleaning facilities do not affect the bio sludge.

### 12.3. Bioaccumulative potential

No information available

### 12.4. Mobility in soil

No information available

### 12.5. Results of PBT and vPvB assessment

The components in this product do not meet the criteria for classification as PBT or vPvB.

### 12.6. Other adverse effects

None known.

### Other Information

Prevent discharges into the sewage system, watercourses or ground.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Treat as industrial waste.

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# Safety Data Sheet

## BOSTIK ACRYL QUICK

Replaces date: 09/05/2017

Revision date: 21/11/2019

**Category of waste:** 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

### SECTION 14: Transport information

<b>14.1. UN-No.:</b>	Not applicable.	<b>14.4. Packing group:</b>	Not applicable.
<b>14.2. UN proper shipping name:</b>	Not applicable.	<b>14.5. Environmental hazards:</b>	Not applicable.
<b>14.3. Transport hazard class(es):</b>	Not applicable.		

#### 14.6. Special precautions for user

Protected against freezing.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Special Provisions:** Marking of "treated articles" under Regulation (EU) 528/2012, Article 58. This product contains Preservative that prevents microorganisms when stored. Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no.247-500-7] and 2-methyl-2H isothiazol-3-on [EC no. 220-239-6] (3: 1). May cause allergic reactions.

Safety, health and environmental regulations / legislation specific for the substance or mixture. EU Regulation (EC) No 1907/2006 (REACH).

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59.  
The product does not contain SVHC substances.

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction: None of the components are listed.

EU-REACH (1907/2006) - Annex XIV - List of substances subject to authorisation:None of the components are listed.

#### 15.2. Chemical Safety Assessment

**Other Information:** For this product, no Chemical Safety Assessment in accordance with Directive (EC) 1907/2006 (REACH) has been carried out.

### SECTION 16: Other information

**Vendor notes:** Version 3.  
The information in this SDS is based on our current knowledge and on current EU and national laws. The product should not be used for other purposes than those specified under section 1 without first obtaining written handling instruction. It is always the user who has full responsibility to comply with the requirements of current legislation. The information in this SDS is meant as a description of safety requirements for the product and not a guarantee of product properties.

**Date:** 21/11/2019

# Safety Data Sheet

## BOSTIK ACRYL QUICK

Replaces date: 09/05/2017

Revision date: 21/11/2019

**Document language:** GB